

# EDAN



## iM60 Patient Monitor



**iM60**  
Patient Monitor



**EDAN**  
Edan Instruments, Inc.



**Sollic Medical Equipment**

Ph. 416-740-8885-Fax, 416-740-1883  
For Inquiries: [sales@sollicmedical.com](mailto:sales@sollicmedical.com)



Care for Health

# EDAN

## iM60 Patient Monitor

10.4"

Maximum 11 Waveforms



No-fan Design    Night Mode    Pitch Tone    Thermal Recorder



### > Configurations

#### ■ Basic Measurements for Sub-acute Cares

A full set of basic parameters including 3/5 lead ECG, HR, RESP, EDAN SpO<sub>2</sub> (NELLCOR optional), NIBP, PR, and 2-channel temperature is employed

#### ■ Critical Measurements for Acute Cares

The introduction of 2-channel invasive BP, cardiac output, and end tidal carbon dioxide may suit the requirements of most acute cares

### > Reliable Algorithms

■ iSEAP™ ECG algorithm optimized for arrhythmia detection, pacemaker detection, and HR measurement

■ iMAT™ SpO<sub>2</sub> algorithm with outstanding motion resistance and low perfusion resistance performance

■ iCUFS™ NIBP algorithm optimized for cardiac patients, hypertensive patients, and neonatal patients

### > Multiple Display Modes



Standard Display

Large Font

Trend View

OxyCRG

Bed to Bed

### > End tidal Carbon Dioxide for Intubated/Non-Intubated Patients



#### EDAN G2 CO<sub>2</sub> (Sidestream)

- Superior water trap design for accurate monitoring
- iCARB™ algorithm with intelligent CO<sub>2</sub> pseudo wave identification technology
- Multiple sampling accessories as options for adult, child and neonate patients

#### Respiration CO<sub>2</sub> (Mainstream/Sidestream)

- Plug & play module design
- Dehumidification tube instead of water trap
- Low sampling rate of 50ml/min suitable for all types of patients



### Internal Temp Storage:

1200

NIBP Measurement Review

120 h

Trend Review

60

Alarm Review

120 s

Frozen Waveform

